

ELEKHEAT

**2025 PRODUCT CATALOGUE -
Bain Maries Heating Elements**



ELEKHEAT



Bain Maries Heating Elements **2**

Heating Elements for Bain Maries 3-12



Heating Elements for Bain Maries

Angelo-Po




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416709	1000	230	480	35
2	EKH-416710	1450	230	378	252




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
3	EKH-416711	1500	230	470	305
4	EKH-416712	1600	230	585	200




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
5	EKH-416713	2000	230	458	208
6	EKH-416714	4800	220	410	417

Anitec




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416715	1000	230	430	95

Aristarco




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416716	1000	230	258	34

Ascoblo




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416717	750	230	375	200

Baron




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)	Ref. No.
1	EKH-416718	1000	230	295	85	
2	EKH-416719	1500	240	325	180	




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
3	EKH-416720	2200	230	458	186

Bartscher




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416721	1000	230	420	200
2	EKH-416722	1380	230	346	190




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
3	EKH-416723	1500	240	325	180

heating elements


Bertos


fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416724	2600	230	410	300


Blanco


fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416725	700	230	392	198
1	EKH-416716	1000	230	390	197
2	EKH-416727	1500	230	395	198

Blumauer


fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416728	1100	380	435	202

Bonnet


fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416729	1800	230	507	70


Capic


fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416730	700	230	395	105
2	EKH-416731	750	230	482	110
2	EKH-416732	1000	230	483	110



fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
3	EKH-416733	1600	230	395	110

Capito


fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416734	1500	230	265	244


CF-Cenedese


fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416735	1189	230	278	150
2	EKH-416736	1500	230	368	268

Charvet


fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416737	2000	230	383	235

Cidelcem-Iseco


fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416738	1500	230	268	-

Cookmax




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416739	700	230	370	230
1	EKH-416740	1500	230	368	268
2	EKH-416741	750	230	410	63




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
3	EKH-416742	1000	230	295	85
4	EKH-416743	2200	230	458	186

Dexion




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416744	1200	220	395	220

EGO




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416745	700	230	392	198
1	EKH-416746	1000	230	390	197
2	EKH-416747	1000	230	248	36




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
3	EKH-416748	1000	230	260	38
4	EKH-416749	1000	230	455	210




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
5	EKH-416750	1500	230	245	235
6	EKH-416751	1500	230	350	180




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
7	EKH-416752	1500	230	379	35
7	EKH-416753	1500	230	390	36
8	EKH-416754	1500	230	395	198




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
9	EKH-416755	1600	230	383	96
10	EKH-416756	2000	230	452	256




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
11	EKH-416757	2000	230	485	40
11	EKH-416758	2000	230	490	35
11	EKH-416759	2500	220	620	39
11	EKH-416760	3000	230	730	37

EKU




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416761	1000	230	295	85
2	EKH-416762	1300	230	290	130

Electrolux




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416763	550	230	438	44
1	EKH-416764	800	230	630	44
2	EKH-416765	700	240	320	140




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
3	EKH-416766	1300	230	330	184
4	EKH-416767	1500	230	350	180




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
5	EKH-416768	1500	230	390	36
6	EKH-416769	1500	230	395	198




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
7	EKH-416770	1500	230	395	205
8	EKH-416761	1600	400	610	180




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
9	EKH-416762	2000	400	320	96
10	EKH-416763	2300	230	641	180




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
11	EKH-416764	2400	400	605	380
12	EKH-416765	2500	230	385	96




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
13	EKH-416766	2500	400	385	96
14	EKH-416767	6000	230	255	250

Emainox




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416768	1200	220	395	220

Emmepi




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416769	1380	230	346	190

GGX




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416770	2200	400	550	155

GIGA




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416771	1000	230	258	34
2	EKH-416772	1500	230	412	50

3

fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
3	EKH-416773	2600	230	410	300

Giorik

1

fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416774	1380	230	346	190

Haka

1

fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416775	1500	230	292	50

Herzog&Langen

1 2

fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416777	2000	230	248	248
1	EKH-416778	2000	400	244	244
2	EKH-416779	2200	400	550	155

Inomak

1

fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416780	1300	230	385	440
1	EKH-416781	2000	230	385	440

Juno

1 2

fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416782	1500	230	390	36
2	EKH-416783	1500	230	395	198

3 4

fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
3	EKH-416784	1500	230	395	205
4	EKH-416785	2000	400	320	96

5 6

fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
5	EKH-416786	2500	230	385	96
6	EKH-416787	2500	400	385	96

7

fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
7	EKH-416788	6000	230	255	250

King

1

fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416789	1500	230	350	180


Krefft


fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416790	2000	230	430	135
1	EKH-416791	2000	400	430	135
2	EKH-416792	3000	230	420	330
2	EKH-416793	3000	400	420	330


Küppersbusch


fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416794	2000	230	430	135
1	EKH-416795	2000	400	430	135
2	EKH-416796	2000	230	470	246




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
3	EKH-416797	3000	230	420	330
3	EKH-416798	3000	400	420	330


Lotus


fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416799	1189	230	278	150
2	EKH-416800	1300	230	280	110

Malag


fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416801	1600	230	383	96


Mareno


fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416802	750	230	410	63
2	EKH-416803	1000	230	295	85




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
3	EKH-416804	1300	230	290	130
4	EKH-416805	1500	230	497	90
4	EKH-416806	1800	230	495	90
4	EKH-416807	2100	220	500	90



fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
5	EKH-416808	1800	240	500	34
6	EKH-416809	2200	230	410	34


MBM-Italia


fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416810	600	230	355	215
1	EKH-416811	1500	230	355	203
2	EKH-416812	1200	220	395	220



fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
3	EKH-416813	2000	240	570	92


MKN


fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416814	950	230	390	36
1	EKH-416815	1200	230	510	45
1	EKH-426816	1200	230	545	40
2	EKH-416817	1000	220	290	177
2	EKH-416818	1500	220	443	114




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
3	EKH-416819	1000	230	412	100
4	EKH-416820	1000	230	445	135
4	EKH-416821	1500	220	445	135




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
5	EKH-416822	1750	400	490	88.5
6	EKH-416823	2000	230	405	218.5




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
7	EKH-416824	3000	230	420	125
8	EKH-416825	3000	230	465	140

Modular




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416826	1200	240	405	88
2	EKH-416827	1800	240	403	128
2	EKH-416828	2200	230	523	134

Morice




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416829	850	230	420	40

Multi




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416830	1200	240	405	88
2	EKH-416831	1800	240	403	128

Nayati




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-4186832	1000	230	402	246

Olis




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416833	1500	240	325	180
2	EKH-416834	2000	230	480	275

Palux




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416835	1500	220	443	114
2	EKH-416836	1500	220	445	135




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
3	EKH-416837	1500	230	342	79

Repagas




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416838	1500	230	490	92

Rieber




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416839	855	240	380	204


RM-Gastro


fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416840	700	230	370	230
1	EKH-416841	1500	230	368	268


Roka


fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416842	2000	230	250	100
2	EKH-416843	2000	230	452	256



fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
3	EKH-416844	3000	230	257	165

Roller Grill


fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416845	1500	230	246	430

Rosinox


fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416846	1000	230	295	85


Saro


fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416847	1200	230	385	180


Scholl


fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416848	1000	230	415	198
1	EKH-416849	1000	230	455	210
2	EKH-416850	1500	230	245	235




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
3	EKH-416851	2000	230	207	413
4	EKH-416852	2200	230	251	245


Silko


fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416853	1500	230	412	50
2	EKH-416854	1800	230	495	90




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
3	EKH-416855	2600	230	410	300

Solymac




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416856	900	230	367	122

SSG




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416857	1500	230	325	136

Stahl




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416858	855	240	380	204
2	EKH-416859	1200	230	410	233

Star10




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416860	1000	230	430	95
2	EKH-416861	1500	230	412	50




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
3	EKH-416862	2600	230	410	300

Tecnoinox




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416863	1300	230	330	184

Therma




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416864	1600	400	610	180
2	EKH-416865	2400	400	605	380

Ubert




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416866	2000	230	425	145

VEGA




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416867	1000	230	430	95
2	EKH-416868	1200	230	410	195

Zanussi




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416869	550	230	438	44
1	EKH-416870	800	230	630	44
2	EKH-416871	1300	230	330	184




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
3	EKH-416872	1500	230	395	198
4	EKH-416873	1500	230	395	205



fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
5	EKH-416874	2300	230	641	180

Abner



fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416700	700	230	370	155

Alpeninox



fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416701	550	230	438	44
1	EKH-416702	800	230	630	44

Ambach




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416703	800	230	545	40
2	EKH-416704	2000	230	410	150
2	EKH-416705	2000	230	410	150




fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
3	EKH-416706	2000	230	483	138
3	EKH-416707	2000	400	482	138

Ambassade



fig.	GEV No.	P (W)	volt. (V)	L (mm)	W (mm)
1	EKH-416708	1000	230	420	200