


**ELEKHEAT**

**2025 PRODUCT CATALOGUE -  
Fryers Heating Elements**



ELEKHEAT



# Fryers Heating Elements

Heating Elements for Fryers..... 3-21



Underwriters Laboratories



## Heating Elements for Fryers

### Ambassade



GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.	
1	EKH-418488	2800	230	1	343	180	152	6537366

### Angelo-Po




GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.	
1	EKH-416589	18000	400	3	395	270	32	32G2400



GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.	
1	EKH-415180	2050	230	1	305	53	245	32G1241
1	EKH-416588	4700	400	1	480	90	230	32G1181

### Anitec



GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.	
1	EKH-416168	2500	230	1	222	154	175	071077
2	EKH-416167	2500	230	1	275	157	185	071055.1

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-416169	3000	230	1	290	160	185	071052
4	EKH-417567	3000	230	1	290	205	195	071001

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
5	EKH-416172	3000	230	1	300	80	255	071005

### Ascobloc




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415591	2000	230	1	285	40	240	9294087

### Baron




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415297	6800	230/400	3	299	107	35	BN4185326002136
2	EKH-416070	10200	230/400	3	300	180	33	85326002137




1

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-418713	9000	230/400	3	395	135	267	BN9000482
1	EKH-418710	13000	230/400	3	385	200	270	BN9000483




3 4

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-418488	2800	230	1	343	180	152	06537366
4	EKH-420018	3250	230	1	265	185	200	016210818



1


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-416810	6000	230/400	3	320	175	205	MA1037317100
1	EKH-416811	9000	230	3	320	175	205	MA1037317200



5

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
5	EKH-416811	9000	230	3	320	175	205	01037317200


### Bartscher



1


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415297	6800	230/400	3	299	107	35	0211441

### Baumeister



1

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415423	2000	230	1	320	40	215	7300000148



1 2

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-416800	2300	230	1	340	42	210	08208200
2	EKH-420145	2500	230	1	267	127	187	016240419

### Bertos



1

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-416008	5000	230/400	3	245	200	170	33026600
1	EKH-418104	6000	230/400	3	280	202	170	33026700
1	EKH-418106	9000	230/400	3	300	240	200	33026900




1

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415257	6000	230/400	3	300	182	252	22016200



1


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-420186	7000	230	3	393	245	210	RC3017
1	EKH-420185	12000	230	3	415	237	213	RC3018



1

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-416004	2700	230	1	240	208	125	33024700
1	EKH-416006	3100	230	1	270	215	131	33024800
1	EKH-420068	3450	400	1	290	180	153	33025900
1	EKH-416007	3500	230	1	290	190	153	33025600


### Capic



1


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-418957	4000	230	1	475	80	280	E152009

### Bonnet



1


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-418914	4000	230	1	500	64	290	322523



1

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-418958	8000	220	3	490	230	270	E152050


### Bourgeois



1

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-420184	3500	230	1	294	170	208	RC3000

### Capito



1

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415740	3000	230	1	305	145	280	63852

### CF-Cenedese

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415720	1400	230	1	275	40	210	63.7.1068
2	EKH-415721	2100	230	1	292	107	200	63.7.1064

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-418665	5000	230	1	473	250	190	401003000
4	EKH-416810	6000	230/400	3	320	175	205	1037317100
4	EKH-416811	9000	230	3	320	175	205	1037317200

### Cookmax

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-418713	9000	230/400	3	395	135	267	9000482
1	EKH-418710	13000	230/400	3	385	200	270	9000483
2	EKH-420063	13000	230/400	3	385	200	245	9000481

### Dexion


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-416889	2000	230	1	310	73	225	180588

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-418654	2100	230	1	270	120	200	401001000
1	EKH-418669	3000	230	1	270	110	200	401002000
1	EKH-418671	3000	230	1	300	120	215	401002520
2	EKH-418655	3000	230	1	275	175	200	401002500
2	EKH-418670	3000	230	1	310	175	220	401002510

### EGO


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-416995	2900	230	1	270	50	246	20.40629.000
1	EKH-416994	2900	230	1	310	60	195	20.40453.000

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-418630	6900	400	3	375	170	255	20.27543.010



1


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415423	2000	230	1	320	40	215	20.26704.000



1 2


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415370	8000	230/400	3	555	177	27	0K0621
2	EKH-415371	8000	230/400	3	555	177	27	0H6194

### EKU



1


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415090	5500	230/400	3	320	200	210	1-W-218
1	EKH-420289	7500	220	3	320	196	215	4-102



1 2


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415490	5100	230/400	3	345	168	246	0H6192
2	EKH-415611	7200	230/400	3	350	168	249	0H6203

### Electrolux




1 2

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-420124	2900	230	1	233	77	245	004628
2	EKH-416995	2900	230	1	270	50	246	0A5565
2	EKH-416994	2900	230	1	310	60	195	005964




1 2

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415291	2000	230	1	250	45	190	004926
2	EKH-415470	2000	230	1	320	36	265	0H6180
2	EKH-415498	2500	230	1	315	40	275	0K0569



3 4

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-415274	3000	230	1	400	70	270	058615
4	EKH-415377	5500	230	1	320	86	248	059563
4	EKH-418002	5500	400	1	320	86	248	006571



1

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-418340	11000	400	3	285	150	255	0K5928

### Elettrobar

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-416499	3300	230	1	249	128	210	230069
1	EKH-416504	3300	230	1	320	131	220	230070
2	EKH-416506	6600	230/400	3	342	127	230	230072

### Elframo

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415921	1260	230	1	320	48	220	00033130
1	EKH-415920	2800	230	1	280	160	185	00033120
2	EKH-420210	1600	230	1	283	75	200	00039276

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-415923	2000	230	1	315	74	250	00033141
4	EKH-415924	3000	230	1	297	86	243	00033142

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
5	EKH-416782	3333	230	1	395	85	245	00033151
5	EKH-416783	5500	230	1	250	60	250	00033154
6	EKH-420209	9000	230	3	310	180	235	00039278

### Emmepi

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415297	6800	230/400	3	299	107	35	808689
2	EKH-416070	10200	230/400	3	300	180	33	808256

### Fagor

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-416824	7000	230/400	3	325	110	33	FAG6000001

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-416627	1500	230	1	300	50	180	12024653
1	EKH-416625	2000	230	1	310	50	180	12024654
2	EKH-416628	2000	230	1	298	49	179	X373005000

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-416622	3000	230	1	303	45	190	12024670
3	EKH-416630	3000	230	1	335	47	226	12024695
3	EKH-416631	4250						X393010000
4	EKH-416632	4250	230	1	380	104	230	12024745






fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-420157	2750	230	1	298	150		12024661
2	EKH-417166	4000	230	1	295	90	290	12024707
2	EKH-416548	4000	230	1	300	85	300	12024704
2	EKH-417160	6000	230	1	380	90	355	12024757




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-419112	6000	230	3	385	200	285	12004358

### Fimar




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-416744	2000	230	1	282	120	175	CO1116
2	EKH-418643	3200	230	1	290	185	165	CO1117

### Forved




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-416890	1670	230	1	360	85	233	3111
1	EKH-416889	2000	230	1	310	73	225	3966
2	EKH-416891	3000	230	1	362	65	240	3108
2	EKH-416892	4000	230	1	347	85	235	3108A




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-416888	3500	230	2	300	115	232	3955

### FriFri



fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415738	2000	230	1	302	51	177	400533
2	EKH-415742	2300	230	1	280	90	180	100947




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-416424	3200	230	1	297	180	161	300915
4	EKH-415741	7500	230/400	3	310	130	295	101105




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
5	EKH-416426	11400	230/400	3	310	215	298	300950

GIGA

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415257	6000	230/400	3	300	182	252	X46200
2	EKH-416409	7500	230/400	3	315	170	190	X57000

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-418652	1700	230	1	290	130		AER001ZR10
2	EKH-416054	1700	230	1	320	70	215	X46600

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-416411	2500	230	1	290	55	165	Y19600
4	EKH-416055	3000	230	1	335	65	223	X46500

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
5	EKH-416053	1335-1450	230-240	1	317	42	190	X46100

Giorik

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415297	6800	230/400	3	299	107	35	6002136
1	EKH-416824	7000	230/400	3	325	110	33	6002150
2	EKH-416070	10200	230/400	3	300	180	33	6002137
2	EKH-416825	12000	230/400	3	326	180	31	6002151

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-416826	16500	230/400	3	325	255	32	6002152

Haka

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415627	3500	400	1	230	74	258	9001
2	EKH-415631	4000	400	1	300	68	178	9048

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-415629	4500	400	1	310	186	260	9003
3	EKH-415630	6000	400	1	296	250	255	9004
4	EKH-415632	6000	400	1	242	122	218	9049

1 heating elements

**Herzog&Langen**


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415640	1700	230	1	280	55	212	345910532


**Hualing**


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-417598	2500	230	1	290	130	200	GDF1104-13
2	EKH-417599	3250	230	1	280	190	210	HDF1108-13

**Imperial-Germany**


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415745	6000	400	3	365	180	246	8019117

**Inoksan**


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415377	5500	230	1	320	86	248	10070020


**Juno**


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415370	8000	230/400	3	555	177	27	0K0621
2	EKH-415371	8000	230/400	3	555	177	27	0H6194





fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415490	5100	230/400	3	345	168	246	0H6192
2	EKH-415611	7200	230/400	3	350	168	249	0H6203



fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415470	2000	230	1	320	36	265	0H6180
1	EKH-415498	2500	230	1	315	40	275	0K0569


**Komel**


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415921	1260	230	1	320	48	220	00033130
1	EKH-415920	2800	230	1	280	160	185	00033120
2	EKH-420210	1600	230	1	283	75	200	00039276



3 4


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-415923	2000	230	1	315	74	250	00033141
4	EKH-415924	3000	230	1	297	86	243	00033142



5 6

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
5	EKH-416782	3333	230	1	395	85	245	00033151
5	EKH-416783	5500	230	1	250	60	250	—
6	EKH-420209	9000	230	3	310	180	235	00039278

### Kreffft



1


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415490	5100	230/400	3	345	168	246	01-214567



1


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415591	2000	230	1	285	40	240	49-182651
1	EKH-415978	3000	230	1	288	48	243	49-182652

### Küppersbusch



1

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-416910	8000	230/400	3	300	185	22	540558



1


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-418263	7200	230/400	3	360	150	220	540441



1


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415591	2000	230	1	285	40	240	182651
1	EKH-415978	3000	230	1	288	48	243	182652

### Lotus




1

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-416525	9750	230/400	3	305	220	35	537021301




1 2

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-415704	1800	230	1	310	60	200	537003500
2	EKH-416651	1800	230	1	388	127	172	537010800




3

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-5705	2500	230	1	285	104	205	537003100

**Malag**


1

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-8226	6500	220	3	370	185	255	144436

**Marels**


1

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-9031	3400/3700	230/240	1	405	44	228	965.009.00


**Mareno**


1



2

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-6812	9000	230/400	3	360	170	35	MA1037316601R
2	EKH-6813	10500	230/400	3	320	240	32	MACM032101R



3

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-6814	16500	230/400	3	400	315	36	MACM032401




1

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-5090	5500	230/400	3	320	200	210	MA1037039915
1	EKH-5963	7250	230/400	3	330	194	212	MA1037301615




1



2

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-5962	2000	230	1	318	58	200	1037314944
1	EKH-5961	3000	230	1	325	54	206	1037313044
2	EKH-5976	2300	230	1	210	66	315	MA1750000




3




4

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-5969	2400	230	1	212	74	310	MA1982700
4	EKH-5985	3000	220	1	350	55	330	MA1463900



5



6

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
5	EKH-5990	5800	230	1	343	110	328	MA1982900
6	EKH-6810	6000	230/400	3	320	175	205	MA1037317100
6	EKH-6811	9000	230	3	320	175	205	MA1037317200

MBM-Italia



fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-8544	9000	230/400	3	285	205	35	180950
2	EKH-8628	9000	230/400	3	285	205	35	RIC0003794




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-6070	10200	230/400	3	300	180	33	RTBF700101
4	EKH-6560	15000	230/400	3	300	290	34	RTBF800318



fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
5	EKH-8494	16000	230/400	3	336	252	31	180953



fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-6506	6600	230/400	3	342	127	230	RTCU600235



fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-6891	3000	230	1	362	65	240	180580
2	EKH-8908	9000	230	3	350	228	237	164717

MKN




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-5713	2000	220	1	465	40	205	572069
2	EKH-5422	2000	230	1	300	40	240	572064




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-5423	2000	230	1	320	40	215	572118
4	EKH-5710	2000	230	1	370	30	235	572076




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
5	EKH-7533	3300	230	1	320	80	220	572121(old)
6	EKH-5728	3300	230	1	315	33	216	572124



fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
7	EKH-5746	3300	230	1	320	40	250	—
8	EKH-5769	3300	230	1	320	80	214	572121

heating elements



fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
9	EKH-5779	3300	230	1	323	70	222	572128
10	EKH-5819	3300	230	1	339	68	235	572049

**Modular**


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-5929	2500	230	1	293	40	205	66502800
1	EKH-9031	3400/3700	230/240	1	405	44	228	965.009.00


**Multi**


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-5929	2500	230	1	293	40	205	665028

**Nayati**


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-5742	2300	230	1	280	90	180	PD.4118C
2	EKH-8432	6000	230/400	3	275	172	161	PD411L

**Offcar**


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-5297	6800	230/400	3	299	107	35	862033
2	EKH-6070	10200	230/400	3	300	180	33	862029

**Olis**


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-8713	9000	230/400	3	395	135	267	BN9000482
1	EKH-8710	13000	230/400	3	385	200	270	BN9000483
2	EKH-420063	13000	230/400	3	385	200	245	BN9000481
2	EKH-9019	18000	230	3	455	243	264	BN9000519





fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-6800	2300	230	1	340	42	210	BN8208200
2	EKH-6804	3300	230	1	331	41	260	BN9000509



fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-6799	5500	230	3	297	168	31	BN8217600


**Palux**


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-6909	6000	230/400	3	300	185	22	257001
2	EKH-6910	8000	230/400	3	300	185	22	602051




1

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-5444	6000	230/400	3	272	206	220	008591




1 2

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-0425	5500	240	1	265	97	290	P5046921
1	EKH-0423	7000	240	1	280	87	295	P5046916
2	EKH-0424	6000	240	1	365	105	295	P5046902




1 2

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-5474	1660	230	1	288	66	242	—
2	EKH-5591	2000	230	1	285	40	240	150711
2	EKH-5978	3000	230	1	288	48	243	155268



3


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-0427	8500	230	3	260	90	260	PP10904



3

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-5441	3000	230	1	294	150	242	—


### Polaris



1

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-5297	6800	230/400	3	299	107	35	BN4185326002136

### Repagas



1 2

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-5921	1260	230	1	320	48	220	8700024
1	EKH-5920	2800	230	1	280	160	185	8500013
2	EKH-0210	1600	230	1	283	75	200	16300008

### Pitco



1 2

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-0421	7000	240	3	280	158	285	B5307203-C
2	EKH-0428	8500	230	3	355	115	280	50006614






fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-5923	2000	230	1	315	74	250	8800027
4	EKH-5924	3000	230	1	297	86	243	1130002




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
5	EKH-6782	3333	230	1	395	85	245	9000007
5	EKH-6783	5500	230	1	250	60	250	1140011
6	EKH-0209	9000	230	3	310	180	235	16500005

### RM-Gastro



fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-8654	2100	230	1	270	120	200	401001000
1	EKH-8669	3000	230	1	270	110	200	401002000
1	EKH-8671	3000	230	1	300	120	215	401002520
2	EKH-8655	3000	230	1	275	175	200	401002500
2	EKH-8670	3000	230	1	310	175	220	401002510




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-8665	5000	230	1	473	250	190	401003000

### Roka




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-5792	6000	230/400	3	290	198	245	8900350

### Roller Grill




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-6744	2000	230	1	282	120	175	D02010
2	EKH-6745	2500	230	1	285	125	177	D02069




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-8833	3600	230	1	295	180	175	D02070




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-6741	4000	230	1	465	82	280	D02028
1	EKH-6742	6000	230	1	460	86	290	D02099

### Rosinox

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-5297	6800	230/400	3	299	107	35	RX94806916
2	EKH-6070	10200	230/400	3	300	180	33	RX94805397

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-6813	10500	230/400	3	320	240	32	RX94812639

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-5257	6000	230/400	3	300	182	252	RX94812636

### Saro

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-8643	3200	230	1	290	185	165	172-5016

### Silko

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-5297	6800	230/400	3	299	107	35	SIR0108058
2	EKH-6812	9000	230/400	3	360	170	35	MA1037316601

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-6070	10200	230/400	3	300	180	33	SIR0108057
4	EKH-6814	16500	230/400	3	400	315	36	SIR0105151

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-5257	6000	230/400	3	300	182	252	SIR0109025

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-6054	1700	230	1	320	70	215	SIR0109022
2	EKH-6055	3000	230	1	335	65	223	SIR0109021


### Solymac

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-0184	3500	230	1	294	170	208	P59



1


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-0186	7000	230	3	393	245	210	P40
1	EKH-0185	12000	230	3	415	237	213	P41



3 4


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-6169	3000	230	1	290	160	185	071052
4	EKH-7567	3000	230	1	290	205	195	071001

### SSG



1

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-5753	6000	400	3	324	195	265	—



5

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
5	EKH-6172	3000	230	1	300	80	255	071005

### Star10



1


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-8269	7500	230/400	3	310	180	260	071028

### Tecnoinox




1 2

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-5291	2000	230	1	250	45	190	RC00282000
2	EKH-5283	3000	230	1	290	78	185	RC00054000



1 2

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-6168	2500	230	1	222	154	175	071077
2	EKH-6167	2500	230	1	275	157	185	071055.1



3

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-6660	3600	230	1	280	68	246	RC01276000

### Thielmann

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-5753	6000	400	3	324	195	265	—
2	EKH-8263	7200	230/400	3	360	150	220	144187

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-8358	7200	400	3	285	150	255	6291-1SA
1	EKH-8340	11000	400	3	285	150	255	6302-3SA

### Ubert

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-5566	2000	230	1	325	42	275	343104

### VEGA

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-6172	3000	230	1	300	80	255	93097

### Valentine

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-8357	2333	230	1	268	94	190	5185-01
1	EKH-8356	2500	400	1	268	84	190	5184-01
2	EKH-8354	3600	230	1	268	138	190	5181-01
2	EKH-8355	3600	400	1	268	145	190	5182-01

### Wamsler

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-8630	6900	400	3	375	170	255	00011110092

### Zanussi

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-0124	2900	230	1	233	77	245	004628
2	EKH-6995	2900	230	1	270	50	246	0A5565
2	EKH-6994	2900	230	1	310	60	195	005964




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
3	EKH-5274	3000	230	1	400	70	270	058615
4	EKH-5377	5500	230	1	320	86	248	059563
4	EKH-8002	5500	400	1	320	86	248	006571



fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)	Ref. No.
1	EKH-5291	2000	230	1	250	45	190	004926

Ambach



fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	H (mm)
1	EKH-9211	7500	400	3	335	135	400