

ELEKHEAT

2025 PRODUCT CATALOGUE
- Oven Heating Elements



ELEKHEAT




Oven Heating Elements

1

Heating Elements for Ovens..... 3-12



Underwriters Laboratories



Heating Elements for Ovens

Oven-1




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415700	2000	400	1	570	445
2	EKH-415701	3000	400	1	453	403




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
3	EKH-415702	3000	400	1	607	447
4	EKH-415703	3000	400	1	670	445

Oven-2




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415704	950	230	1	405	96
2	EKH-415705	1000	230	1	420	200




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
3	EKH-415706	1800	230	1	405	324
4	EKH-415707	3100	230	2	415	258




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
5	EKH-415708	4050	230	2	400	467

Oven-3




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415709	900	230	1	430	122
2	EKH-415710	2600	415	1	251	510
2	EKH-415711	2700	380	1	450	590

Oven-4



fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415712	990	230	1	475	106

Oven-5




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415713	1500	400	1	460	484
2	EKH-415714	3000	400	1	607	447

Oven-6



fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415715	1500	230	1	525	240

heating elements


Oven-7


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415716	950	230	1	405	96
2	EKH-415717	1000	230	1	420	200




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
3	EKH-415718	1500	230	1	313	300
4	EKH-415719	1800	230	1	405	324




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
5	EKH-415720	2300	230	1	345	213
6	EKH-415721	2400	230	2	335	300




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
7	EKH-415722	3100	230	2	415	258
8	EKH-415723	4050	230	2	400	467


Oven-8


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415724	900	230	1	468	112
2	EKH-415725	1500	230	1	365	500




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
3	EKH-415726	2600	230	2	350	355


Oven-9


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415727	1800	400	1	416	438
2	EKH-415728	3300	400	1	610	450


Oven-10


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415729	500	230	1	400	110
2	EKH-415730	500	230	1	695	-




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
3	EKH-415731	850	220	1	650	148
3	EKH-415732	850	230	1	645	145
4	EKH-415733	1000	230	1	400	90
4	EKH-415734	1500	230	1	580	110
4	EKH-415735	1500	230	1	730	110




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
5	EKH-415736	1000	230	1	550	110
6	EKH-415737	1500	230	1	450	60




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
7	EKH-415738	2000	230	1	900	115
7	EKH-415739	2250	230	1	700	90
8	EKH-415740	2000	230	1	1300	65
8	EKH-415741	3000	230	1	1295	60




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
9	EKH-415742	4000	230	1	850	105

Oven-11




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415743	2500	230	1	600	435
1	EKH-415744	2500	400	1	600	435

Oven-12




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415745	900	230	1	350	390
2	EKH-415746	1300	230	1	350	380




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
3	EKH-415747	1500	230	1	525	240

Oven-13




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415748	1500	240	1	540	150
2	EKH-415749	1500	400	1	460	484




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
3	EKH-415750	2000	230	1	327	228
3	EKH-415751	2500	230	1	360	242
4	EKH-415752	2000	230	1	427	138
4	EKH-415753	2500	230	1	543	140
4	EKH-415754	3000	230	1	643	145

5

6

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
5	EKH-415755	2000	400	1	490	575
6	EKH-415756	2500	400	1	450	570

5

6

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
5	EKH-415760	1600	400	1	610	180
6	EKH-415761	2750	400	1	538	618

7

8

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
7	EKH-418757	2700	230	2	370	390
8	EKH-415758	3000	230	1	350	313

Oven-15

1

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415762	2500	230	1	525	500

9

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
9	EKH-415759	3100	230	2	415	258

Oven-16

1

2

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415763	1000	230	1	515	125
2	EKH-415764	1000	230	1	515	170

Oven-14

1

2

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415378	950	230	1	550	63
2	EKH-418078	1000	230	1	335	345

Oven-17

1

2

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415765	650	240	1	505	440
2	EKH-415766	1250	240	1	370	130

3

4

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
3	EKH-415078	1500	240	1	540	150
4	EKH-417442	1500	400	1	535	140

Oven-18

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415767	1400	230	1	315	320
2	EKH-415768	1500	230	1	313	300

Oven-21

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415774	990	230	1	475	106
2	EKH-415775	1500	230	1	365	500

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
3	EKH-415769	2400	230	2	335	300

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
3	EKH-415776	2600	230	2	350	355

Oven-19

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415770	2000	230	1	500	325
2	EKH-415771	2740	230	1	500	485
2	EKH-415772	2740	400	1	500	485

Oven-22

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415777	2000	230	1	427	138
2	EKH-415778	3000	230	1	350	313

Oven-20

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415773	1400	230	1	315	320

Oven-23

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415779	1750	230	1	326	405
2	EKH-415780	3050	230	2	325	474

heating elements


Oven-24


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415781	1500	400	1	460	484
1	EKH-415782	2100	400	1	465	480
2	EKH-415783	2000	400	1	490	575


Oven-25


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415784	2000	230	1	327	228


Oven-26


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415785	1500	400	1	460	484
1	EKH-415786	2100	400	1	465	480
2	EKH-415787	2000	400	1	490	575


Oven-27


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415788	2500	400	1	450	570


Oven-28


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415789	800	230	1	685	125
1	EKH-415780	1200	230	1	505	123
2	EKH-415781	1500	220	1	285	205




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
3	EKH-415782	1750	230	1	326	405
4	EKH-415783	3050	230	2	325	474


Oven-29


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415784	2000	230	1	327	228


Oven-30


fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415785	750	230	1	483	64
2	EKH-415786	900	230	1	350	390

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
3	EKH-415787	1000	230	1	555	63
4	EKH-415788	1200	230	1	346	342

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
3	EKH-415794	3200	230	1	510	526
4	EKH-415795	3750	230	1	505	642

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
5	EKH-415789	1300	230	1	350	380
6	EKH-415790	1500	230	1	555	210

Oven-32

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415796	4000	400	1	573	115

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
7	EKH-415791	2600	230/400	2	355	360

Oven-33

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415797	900	380	1	497	313
1	EKH-415798	1200	380	1	510	295
2	EKH-415799	1275	230	1	325	202

Oven-31

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415792	1800	230	1	320	287
2	EKH-415793	2500	230	1	530	615

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
3	EKH-415800	1450	400	1	502	455
3	EKH-415801	1500	380	1	505	463
3	EKH-415802	1700	400	1	495	635
4	EKH-415803	1500	230	1	470	200

5

6

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
5	EKH-415804	1500	380	1	432	392
6	EKH-415805	1700	380	1	475	386
6	EKH-415806	1950	400	1	467	520

3

4

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
3	EKH-415813	1500	230	1	470	200
4	EKH-415814	1500	380	1	432	392

Oven-34

1

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415807	1400	230	1	305	180

5

6

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
5	EKH-415815	1500	400	1	460	484
6	EKH-415816	1700	380	1	475	386
6	EKH-415817	1950	400	1	467	520

Oven-35

1

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415808	1500	230	1	525	240

Oven-37

1

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415818	735	230	1	387	108
1	EKH-415819	900	230	1	468	112

Oven-36

1

2

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415809	1275	230	1	325	202
2	EKH-415810	1450	400	1	502	455
2	EKH-415811	1500	380	1	505	463
2	EKH-415812	1700	400	1	495	635

Oven-38

1

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415820	2300	230	1	345	213

Oven-39

1

2

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415821	735	230	1	387	108
1	EKH-415822	900	230	1	468	112
2	EKH-415823	800	240	1	540	60

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
3	EKH-415824	1500	230	1	555	210

Oven-40

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415825	1190	220	1	375	400
2	EKH-415826	2700	230	2	370	390

Oven-41

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415827	990	230	1	475	106
2	EKH-415828	1500	230	1	365	500

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
3	EKH-415829	2600	230	2	350	355

Oven-42

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415830	1750	230	1	326	405
2	EKH-415831	3050	230	2	325	474

Oven-43

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415832	1400	230	1	370	400
2	EKH-415833	2000	230	1	347	215

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
3	EKH-415834	2800	230	2	323	393
4	EKH-415835	3700	230	2	442	575

Oven-44

fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415836	1000	230	1	396	65

Oven-45




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415837	1600	400	1	610	180
2	EKH-415838	2750	400	1	538	618

Oven-46




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415839	122	105	1	85	31
2	EKH-415840	122	105	1	85	31



fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
3	EKH-415841	147	105	1	88	30.5
4	EKH-415842	147	105	1	88	30.5

Oven-47




fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)
1	EKH-415843	950	230	1	550	63
2	EKH-415844	1000	230	1	335	345



fig.	GEV No.	P (W)	volt. (V)	HC	L (mm)	W (mm)	Ref. No.
3	EKH-415845	1500	240	1	540	150	054147